

I MARMI




Verde
1999®
AN ITALIAN STORY




CAMPOGALLIANO

I MARMI

MARBLE



60x60 . 24"x24" rett
30x60 . 12"x24" rett
30x60 . 12"x24"
30x30 . 12"x12" rett
15x15 . 6"x6" rett
7,5x30 . 3"x12" rett
7,5x15 . 3"x6" rett
10x60 . 4"x24" lev-rett chevron



STATUARIO CALACATTA ORO



CARRARA



STATUARIO 60x60 . 24"x24" rett lev



CALACATTA ORO 30x60 . 12"x24" rett lev


I MARMI




CARRARA 60x60 . 24"x24" rett lev

I MARMI

CAMPOGALLIANO



STATUARIO



CALACATTA ORO

Matt surface
FULL BODY PORCELAIN STONEWARE
Gres porcellanato a tutta massa . Grès cérame pleine masse
Vollmassefeinsteinzeug


Lev surface
FINE GLAZED PORCELAIN STONEWARE
Gres porcellanato smaltato . Grès cérame émaillé
Glasiertes Feinsteinzeug

R9

V3



CARRARA




60x60 . 24”x24”
rett lev
MAR64304L2 STATUARIO 2
MAR64305L2 CALACATTA ORO 2
MAR64306L2 CARRARA 2

60x60 . 24”x24”
rett
MAR64304M2 STATUARIO 2
MAR64305M2 CALACATTA ORO 2
MAR64306M2 CARRARA 2



30x60 . 12”x24”
rett lev
MAR364304 STATUARIO
MAR364305 CALACATTA ORO
MAR364306 CARRARA

30x60 . 12”x24”
rett
MAR364304M STATUARIO
MAR364305M CALACATTA ORO
MAR364306R CARRARA



30x60 . 12”x24”
MAR364304M2 STATUARIO 2
MAR364305M2 CALACATTA ORO 2
MAR364306M2 CARRARA 2



30x30 . 12”x12”
rett lev
MAR34304LE STATUARIO
MAR34305LE CALACATTA ORO
MAR34306LE CARRARA

30x30 . 12”x12”
rett
MAR34304 STATUARIO
MAR34305 CALACATTA ORO
MAR34306 CARRARA



15x15 . 6”x6”
rett lev
MAR114304 STATUARIO
MAR114305 CALACATTA ORO
MAR114306 CARRARA

15x15 . 6”x6”
rett
MAR114304M STATUARIO
MAR114305M CALACATTA ORO
MAR114306M CARRARA




7,5x30 . 3”x12”
rett lev
MAR834304L STATUARIO
MAR834305L CALACATTA ORO
MAR834306L CARRARA

7,5x30 . 3”x12”
rett
MAR834304 STATUARIO
MAR834305 CALACATTA ORO
MAR834306 CARRARA



7,5x15 . 3”x6”
rett lev
MAR194304 STATUARIO
MAR194305 CALACATTA ORO
MAR194306 CARRARA

7,5x15 . 3”x6”
rett
MAR194304M STATUARIO
MAR194305M CALACATTA ORO
MAR194306M CARRARA



10x60 . 4”x24”
Chevron lev
MAR163404 STATUARIO
MAR163405 CALACATTA ORO
MAR163406 CARRARA

Packing

	Σ	 pezzi pieces	 m²	 kg	 kg	 m²	 box
60x60 . 24”x24” rett	8,5	4	1,44	26,00	1062,00	57,60	40
60x60 . 24”x24” lev	8,5	4	1,44	27,00	1102,00	57,60	40
30x60 . 12”x24” rett	8,5	7	1,26	22,50	1102,00	60,48	48
30x60 . 12”x24” lev	8,5	7	1,26	23,50	1100,16	60,48	48
30x60 . 12”x24”	8,5	6	1,08	22,00	1078,00	51,84	48
30x30 . 12”x12” rett	8,5	11	0,99	17,68	871,00	47,52	48
30x30 . 12”x12” lev	8,5	11	0,99	18,46	910,00	47,52	48
7,5x15 . 3”x6” rett / lev	8,5	50	0,57	11,41	890,00	43,32	76
15x15 . 6”x6” rett / lev	8,5	36	0,81	18,00	1102,00	48,60	60
7,5x30 . 3”x12” rett / lev	8,5	17	0,38	7,73	672,00	31,92	84
10x60 . 4”x24” Chevron lev	8,5	14	0,70	15,90	658,00	28,00	40

I MARMI


CAMPOGALLIANO

decori

MOSAICO 30x30 . 12”x12”



STATUARIO



CARRARA



CALACATTA ORO

TAPPETO 30x30 . 12”x12”



STATUARIO




CARRARA




CALACATTA ORO

BASKETWEAVE



STATUARIO




CARRARA




CALACATTA ORO

WOVEN RECTANGLES



STATUARIO



CARRARA



CALACATTA ORO



Mosaico 30x30 . 12”x12”
5x5 . 2”x2”
lev
MAR34304 STATUARIO
MAR34306M CARRARA
MAR34305M CALACATTA ORO

Mosaico 30x30 . 12”x12”
5x5 . 2”x2”
MAR34304M STATUARIO
MAR34306MM CARRARA
MAR34305MM CALACATTA ORO



Tappeto 30x30 . 12”x12”
2,5x2,5 . 1”x1”
lev
MAR34304T STATUARIO
MAR34306T CARRARA
MAR34305T CALACATTA ORO

Tappeto 30x30 . 12”x12”
2,5x2,5 . 1”x1”
MAR34304TM STATUARIO
MAR34306TM CARRARA
MAR34305TM CALACATTA ORO



Basketweave
31,2x31,2 . 12⅝”x12⅝”
lev
MAR34304B STATUARIO
MAR34306B CARRARA
MAR34305B CALACATTA ORO

Basketweave
31,2x31,2 . 12⅝”x12⅝”
MAR34304BM STATUARIO
MAR34306BM CARRARA
MAR34305BM CALACATTA ORO



Woven rectangles
30,4x30,4 . 12”x12”
lev
MAR34304I STATUARIO
MAR34306 CARRARA
MAR34305 CALACATTA ORO

Woven rectangles
30,4x30,4 . 12”x12”
MAR34304MA STATUARIO
MAR34306MA CARRARA
MAR34305MA CALACATTA ORO



Battiscopa 7x60 . 2⅜”x24”
rett
MAR194304BR STATUARIO
MAR194305BR CALACATTA ORO
MAR194306BR CARRARA

Battiscopa 7x60 . 2⅜”x32”
rett lev
MAR194304B STATUARIO
MAR194305B CALACATTA ORO
MAR194306B CARRARA

Battiscopa 7x60 . 2⅜”x32”
rett lev
MAR194304B STATUARIO
MAR194305B CALACATTA ORO
MAR194306B CARRARA

Matt surface
FULL BODY PORCELAIN STONEWARE
Gres porcellanato a tutta massa . Grès cérame pleine masse
Vollmassefeinsteinzeug


Lev surface
FINE GLAZED PORCELAIN STONEWARE
Gres porcellanato smaltato . Grès cérame émaillé
Glasiertes Feinsteinzeug




HEXAGON



STATUARIO



CARRARA



CALACATTA ORO



Hexagon 29,3x29,4 . 11½”x11½”
lev
MAR34304E STATUARIO
MAR34306E CARRARA
MAR34305E CALACATTA ORO

Hexagon 29,3x29,4 . 11½”x11½”
MAR34304EM STATUARIO
MAR34306EM CARRARA
MAR34305EM CALACATTA ORO

HERRINGBONE



STATUARIO



CARRARA



CALACATTA ORO



Herringbone 37,5x32 . 14¾”x12⅝”
lev
MAR34304LL STATUARIO
MAR34306LL CARRARA
MAR34305LL CALACATTA ORO

Herringbone 37,5x32 . 14¾”x12⅝”
MAR34304L STATUARIO
MAR34306L CARRARA
MAR34305L CALACATTA ORO

MURETTO



STATUARIO



CARRARA



CALACATTA ORO



Muretto 30x36 . 12”x14⅞”
lev
MAR34304MU STATUARIO
MAR34306MU CARRARA
MAR34305MU CALACATTA ORO

Muretto 30x36 . 12”x14⅞”
MAR34304MUM STATUARIO
MAR34306MUM CARRARA
MAR34305MUM CALACATTA ORO

Packing

	Σ	pezz pieces	m²	kg	kg	m²	box
30x30 . 12”x12” Mosaico	8,5	8	0,72	14,72	641,00	30,24	42
30x30 . 12”x12” Tappeto	8,5	8	0,72	14,72	641,00	30,24	42
37,5x32 . 14¾”x12⅝” Herringbone	8,5	8	0,72	14,72	641,00	30,24	42
30x36 . 12”x14⅞” Muretto	8,5	8	0,86	14,00	610,00	36,12	42
30,4x30,4 . 12”x12” Woven rectangles	8,5	8	0,74	15,20	661,00	31,08	42
31,2x31,2 . 12⅝”x12⅝” Basketweave	8,5	8	0,78	16,00	694,00	32,76	42
29,3x29,4 . 11½”x11½” Hexagon	8,5	8	0,63	14,00	610,00	26,46	42
7x60 . 2⅜”x24” Battiscopa	8,5	15	-	13,91	580,00	-	40
7x60 . 2⅜”x24” Battiscopa rett	8,5	15	-	13,91	580,00	-	40



Via Ghiarola Nuova, 158
41042 Fiorano Modenese,
Modena - Italy
tel +39 0536 832393
fax +39 0536 913591
verde1999.com
info@verde1999.com

TECHNICAL CHARACTERISTICS*
CARATTERISTICHE TECNICHE
CARACTÉRISTIQUES TECHNIQUES
TECHNISCHE DATEN

* THESE VALUES MAY VARY FROM LOT TO LOT.

	NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	I MARMI	
	ISO 10545/2	Lunghezza e larghezza . Length and width Longueur et largeur . Länge und breite	± 0,5%	Conforme Conforms Conformes Gemäß	
	ISO 10545/2	Spessore . Thickness Epaisseur . Stärke	± 5%		
	ISO 10545/2	Ortogonalità . Wedging Orthogonalité . Rechtwinklichkeit	± 0,5%		
	ISO 10545/2	Planarità . Warpage Planéité . Ebenflächigkeit	± 0,5%		
		Variazioni di tono Shade variations Variations de nuance Tonvariationen	-	V3	
	ISO 10545/3	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	≤ 0,5%	Conforme Conforms Conformes Gemäß	
	ISO 10545/4	Resistenza alla flessione Bending strength Resistance a la flexion Biegefestigkeit	R > 35 N/mm²	Conforme Conforms Conformes Gemäß	
	ISO 10545/11	Resistenza al cavillo Crazing resistance Resistance au trassailage Haarrissfestigkeit	-	Resiste Resistant Résiste Beständig	
	ISO 10545/13	Resistenza all'attacco chimico Chemical resistance Resistance à l'attaque chimique Säure-und laugefestigkeit	min. b	Conforme Conforms Conformes Gemäß	
	ISO 10545/14	Resistenza alle macchie Stain resistance Resistance aux taches Fleckenfestigkeit	min. Classe 3	Conforme Conforms Conformes Gemäß	
	ISO 10545/12	Resistenza al gelo Frost resistance Resistance au gel Frostbeständigkeit	-	Resiste Resistant Résiste Beständig	
	ISO 10545/6	Resistenza all'abrasione profonda Deep abrasion resistance Résistance à l'abrasion profonde Tiefenverschleissbestaendigkeit	< 175 mm³	Conforme Conforms Conformes Gemäß	
	ANSI A 137.1:2012 BOT 3000	Resistenza allo scivolamento Slip resistance Resistance au glissement Bestimmung der Rutschhemmung	WET DCOF ≥ 0,42	Matt Conforme Conforms Conformes Gemäß	Lev -
			DIN 51130	Matt R9	Lev -
			DIN 51097	-	
			B.C.R.A. REP. CEC. 6/81	-	
	ISO 10545/8	Coefficiente di dilatazione termica lineare Thermal expansion coeff. Between 20°C - 100°C Coeff. De dilatation thermique lineaire entre 20°C et 100°C Wärmeausdehnung zwischen 20°C und 100°C	<9x10 ⁻⁶ C ⁻¹	-	
		Resistenza agli sbalzi termici Resistance to thermal shock Resistance aux chocs thermiques Temperaturwechselbeständigkeit	-	Resiste Resistant Résiste Beständig	
		Resistenza della superficie (scala MOHS) Scratch resistance (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala)	EN 101	Matt ≥ 6	Lev ≥ 5

Verde
1999[®]
AN ITALIAN STORY

Verde
1999[®]
AN ITALIAN STORY